

## TORICA® – PUBLICATION LIST

### TORICA-aA / MC 6125 T

| PEER REVIEWED ARTICLES & ABSTRACTS |   |
|------------------------------------|---|
| PR1                                | <p>Gyöngyössy B, Jirak P, Schönherr U</p> <p>Rotational stability and patient satisfaction after implantation of a new toric IOL</p> <p>Eur J Ophthalmol 2016 Jun; 26:321-327</p> <p>Language: English</p>  |
| PR2                                | <p>Gyöngyössy B, Jirak P, Schönherr U</p> <p>Long-term rotational stability and visual outcomes of a single-piece hydrophilic acrylic toric IOL: a 1.5-year follow-up</p> <p>Int J Ophthalmol 2017 Apr 18; 10(4):573-578</p> <p>Language: English</p> |
| PRESENTATIONS, POSTERS & SESSIONS  |   |
| P1                                 | <p>Jirak P</p> <p>Torische Intraokularlinsen - neue Entwicklungen, neue Möglichkeiten</p> <p>Presentation DOC 2013 Jun; HumanOptics Premium IOL-Symposium</p> <p>Language: German</p>   |
| P2                                 | <p>Jirak P, Gyöngyössy B, Schönherr U</p> <p>Rotationsstabilität und Patientenzufriedenheit nach Implantation einer neuen torischen Intraokularlinse</p> <p>Presentation DOC 2014 May</p> <p>Language: German</p>                                     |
| P3                                 | <p>Jirak P, Gyöngyössy B, Schönherr U</p> <p>Rotational stability and patient satisfaction after implantation of a new toric intraocular lens (IOL)</p> <p>Presentation ESCRS 2015 Sep</p> <p>Language: English</p>                                   |
| P4                                 | <p>Jirak P, Gyöngyössy B, Schönherr U</p> <p>Rotationsstabilität und Visus-Ergebnisse einer 1-teiligen, hydrophilen torischen Acryl IOL über einen Zeitraum von 1,5 Jahren</p> <p>Presentation DOC 2016 Jun</p> <p>Language: German</p>               |

|    |   |
|----|---|
| P5 | <p>Jirak P, Gyöngyössi B, Schönherr U</p> <p>Long-term rotational stability and visual outcomes of a single-piece hydrophilic acrylic toric IOL</p> <p>Presentation ESCRS 2016 Sep</p> <p>Language: English</p>                     |
| P6 | <p>Arani P, Klöner J, Brockmann T, et al.</p> <p>Klinische Ergebnisse und Aberrationen höherer Ordnung nach Implantation einer hydrophilen torischen Intraokularlinse</p> <p>Presentation DGII 2017 Feb</p> <p>Language: German</p> |